


DRAFT

City: SYR Div/Group: IM/DV Created By: J.RAPP Last Saved By: kives
LOWER LEY CREEK (B0035101.0001.00001)
Q:\LowerLeyCreekGroup\Syracuse\NY\PDIEvaluationReport\mxd\SoilLocationsAndPCBResults_ProposedRemovalAlterations_1to100scale.mxd 10/11/2018 12:30:49 PM



LEGEND:

- PROPOSED ADDITIONAL SAMPLE LOCATION
- PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
- 2017 OR 2018 SOIL SAMPLE LOCATION
- 2017 OR 2018 SEDIMENT SAMPLE LOCATION
- HISTORIC SOIL SAMPLE LOCATION
- SEDIMENT
- SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
- SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
- PROPOSED REMOVAL EXTENT REDUCTION AREA
- PIPELINE
- ROD SOIL REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 0.5 FT
 - 2 FT
 - 3 FT
 - 5 FT
 - 14 FT
- ROD SEDIMENT REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 1 FT
 - 2 FT
 - 3 FT
 - 4 FT
 - 5 FT
 - 6 FT
- 500-YR FEMA FLOODPLAIN
- LEY CREEK SHORELINE (APPROXIMATE)
- PARCEL BOUNDARY
- CONTOUR
- TOWN OF SALINA - PARCEL 6 EXCAVATION LIMITS
- 100-YR FEMA FLOODPLAIN
- 500-YR FEMA FLOODPLAIN

NOTES AND ABBREVIATIONS:

- 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE. [HTTP://GIS.NY.GOV](http://gis.ny.gov)
- SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.
- HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.
- CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY G2A/PALMERTON IN JUNE 2015.
- PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.
- REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2006 (PROTECTION OF ECOLOGICAL RESOURCES FOR SURFACE SOIL AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL) AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION


LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT

**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**

FIGURE 1c

DRAFT

City: SYR Div/Group: IM/DV Created By: J.RAPP Last Saved By: kives
LOWER LEY CREEK (B0035101.0001.00001)
Q:\LowerLeyCreekGroup\Syracuse\NY\PDIEvaluationReport\mxd\SoilLocationsAndPCBResults_ProposedRemovalAlterations_1to100scale.mxd 10/11/2018 12:30:49 PM



LEGEND:

- ◆ PROPOSED ADDITIONAL SAMPLE LOCATION
- ◆ PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
- 2017 OR 2018 SOIL SAMPLE LOCATION
- ▲ 2017 OR 2018 SEDIMENT SAMPLE LOCATION
- HISTORIC SOIL SAMPLE LOCATION
- △ SEDIMENT
- SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
- SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
- PROPOSED REMOVAL EXTENT REDUCTION AREA
- PIPELINE
- ROD SOIL REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 0.5 FT
 - 2 FT
 - 3 FT
 - 5 FT
 - 6 FT
 - 14 FT
- ROD SEDIMENT REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 1 FT
 - 2 FT
 - 3 FT
 - 4 FT
 - 5 FT
 - 6 FT
- 500-YR FEMA FLOODPLAIN
- LEY CREEK SHORELINE (APPROXIMATE)
- PARCEL BOUNDARY
- CONTOUR
- 100-YR FEMA FLOODPLAIN
- 500-YR FEMA FLOODPLAIN

NOTES AND ABBREVIATIONS:

- 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE. [HTTP://GIS.NY.GOV](http://gis.ny.gov)
- SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.
- HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.
- CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY GZA/PALMERTON IN JUNE 2015.
- PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.
- REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2006 (PROTECTION OF ECOLOGICAL RESOURCES FOR SURFACE SOIL AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL, AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION

LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT































**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**


ARCADIS Develop & Collaborate
for natural and
built assets

**FIGURE
1d**



LEGEND:

-  PROPOSED ADDITIONAL SAMPLE LOCATION
-  PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
-  2017 OR 2018 SOIL SAMPLE LOCATION
-  2017 OR 2018 SEDIMENT SAMPLE LOCATION
-  HISTORIC SOIL SAMPLE LOCATION
-  SEDIMENT
-  SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
-  SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
-  PROPOSED REMOVAL EXTENT REDUCTION AREA
-  PIPELINE
-  ROD SOIL REMOVAL AREA
(ESTIMATED TARGET REMEDIAL DEPTH):
 -  0.5 FT
 -  2 FT
 -  3 FT
 -  5 FT
 -  8 FT
 -  14 FT
-  ROD SEDIMENT REMOVAL AREA
(ESTIMATED TARGET REMEDIAL DEPTH):
 -  1 FT
 -  2 FT
 -  3 FT
 -  4 FT
 -  5 FT
 -  8 FT
-  500-YR FEMA FLOODPLAIN
-  LEY CREEK SHORELINE (APPROXIMATE)
-  PARCEL BOUNDARY
-  CONTOUR
-  100-YR FEMA FLOODPLAIN
-  500-YR FEMA FLOODPLAIN



NOTES AND ABBREVIATIONS:

1. 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE.
[HTTP://GIS.NY.GOV](http://gis.ny.gov)
2. SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.
3. HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.
4. CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY GZA/PALMERTON IN JUNE 2015.
5. PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.
6. REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2008 (PROTECTION OF ECOLOGICAL RESOURCES FOR SUBSURFACE SOILS AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL), AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION

LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT

**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**



Design & Consulting
for natural and
built assets

FIGURE 1e

DRAFT

City: SYR Div/Group: IM/IDV Created By: J.RAPP Last Saved By: kives
LOWER LEY CREEK (B0035101.0001.00001)
Q:\LowerLeyCreekGroup\Syracuse\NY\PDIEvaluationReport\mxd\SoilLocationsAndPCBResults_ProposedRemovalAlterations_1to100scale.mxd 10/11/2018 12:30:49 PM



LEGEND:

- ◆ PROPOSED ADDITIONAL SAMPLE LOCATION
- ◆ PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
- 2017 OR 2018 SOIL SAMPLE LOCATION
- ▲ 2017 OR 2018 SEDIMENT SAMPLE LOCATION
- HISTORIC SOIL SAMPLE LOCATION
- △ SEDIMENT
- SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
- SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
- PROPOSED REMOVAL EXTENT REDUCTION AREA
- PIPELINE
- ROD SOIL REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 0.5 FT
 - 2 FT
 - 3 FT
 - 5 FT
 - 8 FT
 - 14 FT
- ROD SEDIMENT REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 1 FT
 - 2 FT
 - 3 FT
 - 4 FT
 - 5 FT
 - 6 FT
- 500-YR FEMA FLOODPLAIN
- LEY CREEK SHORELINE (APPROXIMATE)
- PARCEL BOUNDARY
- CONTOUR
- 100-YR FEMA FLOODPLAIN
- 500-YR FEMA FLOODPLAIN

NOTES AND ABBREVIATIONS:

- 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE. [HTTP://GIS.NY.GOV](http://gis.ny.gov)
- SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.
- HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.
- CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY G2A/PALMERTON IN JUNE 2015.
- PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.
- REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2006 (PROTECTION OF ECOLOGICAL RESOURCES FOR SURFACE SOIL AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL, AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION

LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT


**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**

Developing Solutions for natural and built assets

FIGURE 1f

DRAFT

City: SYR Div/Group: IM/IV Created By: J.RAPP Last Saved By: kives
LOWER LEY CREEK (B0035101.0001.00001)
Q:\LowerLeyCreekGroup\Syracuse\NY\PDIEvaluationReport\mxd\SoilLocationsAndPCBResults_ProposedRemovalAlterations_1to100scale.mxd 10/11/2018 12:30:49 PM



LEGEND:

- ◆ PROPOSED ADDITIONAL SAMPLE LOCATION
- ◆ PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
- 2017 OR 2018 SOIL SAMPLE LOCATION
- ▲ 2017 OR 2018 SEDIMENT SAMPLE LOCATION
- HISTORIC SOIL SAMPLE LOCATION
- △ SEDIMENT
- SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
- SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
- PROPOSED REMOVAL EXTENT REDUCTION AREA
- PIPELINE
- ROD SOIL REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 0.5 FT
 - 2 FT
 - 3 FT
 - 5 FT
 - 6 FT
 - 14 FT
- ROD SEDIMENT REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 1 FT
 - 2 FT
 - 3 FT
 - 4 FT
 - 5 FT
 - 6 FT
- 500-YR FEMA FLOODPLAIN
- LEY CREEK SHORELINE (APPROXIMATE)
- PARCEL BOUNDARY
- CONTOUR
- 100-YR FEMA FLOODPLAIN
- 500-YR FEMA FLOODPLAIN

NOTES AND ABBREVIATIONS:

- 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE. [HTTP://GIS.NY.GOV](http://gis.ny.gov)
- SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.
- HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.
- CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY G2A/PALMERTON IN JUNE 2015.
- PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.
- REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2006 (PROTECTION OF ECOLOGICAL RESOURCES FOR SURFACE SOIL AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL), AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION

LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT

**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**

Develop & Construct
for natural and
built assets

FIGURE
1g

DRAFT

City: SYR Div/Group: IM/IDV Created By: J.RAPP Last Saved By: kives
LOWER LEY CREEK (B0035101.0001.00001)
Q:\LowerLeyCreekGroup\Syracuse\NY\PDIEvaluationReport\mxd\SoilLocationsAndPCBResults_ProposedRemovalAlterations_1to100scale.mxd 10/11/2018 12:30:49 PM



LEGEND:

- ◆ PROPOSED ADDITIONAL SAMPLE LOCATION
- ◆ PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
- 2017 OR 2018 SOIL SAMPLE LOCATION
- ▲ 2017 OR 2018 SEDIMENT SAMPLE LOCATION
- HISTORIC SOIL SAMPLE LOCATION
- △ SEDIMENT
- SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
- SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
- PROPOSED REMOVAL EXTENT REDUCTION AREA
- PIPELINE
- ROD SOIL REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 0.5 FT
 - 2 FT
 - 3 FT
 - 5 FT
 - 6 FT
 - 14 FT
- ROD SEDIMENT REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 1 FT
 - 2 FT
 - 3 FT
 - 4 FT
 - 5 FT
 - 6 FT
- 500-YR FEMA FLOODPLAIN
- LEY CREEK SHORELINE (APPROXIMATE)
- PARCEL BOUNDARY
- CONTOUR
- 100-YR FEMA FLOODPLAIN
- 500-YR FEMA FLOODPLAIN

NOTES AND ABBREVIATIONS:

- 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE. [HTTP://GIS.NY.GOV](http://gis.ny.gov)
- SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.
- HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.
- CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY G2A/PALMERTON IN JUNE 2015.
- PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.
- REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2006 (PROTECTION OF ECOLOGICAL RESOURCES FOR SURFACE SOIL AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL, AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION

LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT


**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**

Develop & Construct
for natural and
built assets

FIGURE
1h

DRAFT

City: SYR Div/Group: IM/IV Created By: J.RAPP Last Saved By: kives
LOWER LEY CREEK (B0035101.0001.00001)
Q:\LowerLeyCreekGroup\Syracuse\NY\PDIEvaluationReport\mxd\SoilLocationsAndPCBResults_ProposedRemovalAlterations_1to100scale.mxd 10/11/2018 12:30:49 PM



LEGEND:

- ◆ PROPOSED ADDITIONAL SAMPLE LOCATION
- ◆ PROPOSED CONTINGENT SAMPLE LOCATION TO BE ARCHIVED
- 2017 OR 2018 SOIL SAMPLE LOCATION
- ▲ 2017 OR 2018 SEDIMENT SAMPLE LOCATION
- HISTORIC SOIL SAMPLE LOCATION
- △ SEDIMENT
- SAMPLE LOCATION EXCEEDS PCB REMEDIAL CRITERIA (SEE NOTE 6)
- SAMPLE LOCATION DOES NOT EXCEED PCB REMEDIAL CRITERIA (SEE NOTE 6)
- PROPOSED REMOVAL EXTENT REDUCTION AREA
- PIPELINE
- ROD SOIL REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 0.5 FT
 - 2 FT
 - 3 FT
 - 5 FT
 - 6 FT
 - 14 FT
- ROD SEDIMENT REMOVAL AREA (ESTIMATED TARGET REMEDIAL DEPTH):
 - 1 FT
 - 2 FT
 - 3 FT
 - 4 FT
 - 5 FT
 - 6 FT
- 500-YR FEMA FLOODPLAIN
- LEY CREEK SHORELINE (APPROXIMATE)
- PARCEL BOUNDARY
- CONTOUR
- 100-YR FEMA FLOODPLAIN
- 500-YR FEMA FLOODPLAIN

NOTES AND ABBREVIATIONS:

1. 2015 AERIAL IMAGERY OBTAINED FROM NYS ORTHOS ONLINE. [HTTP://GIS.NY.GOV](http://gis.ny.gov)

2. SOIL INVESTIGATION SUB AREAS ADAPTED FROM ROD SEDIMENT AND ROD SOIL REMOVAL AREAS THAT WERE DIGITIZED FROM A FIGURE IN THE LOWER LEY CREEK FEASIBILITY STUDY, DATED 2013.

3. HISTORIC SAMPLE LOCATIONS ARE BASED ON THE REMEDIAL INVESTIGATION REPORT, DATED JUNE 2013.

4. CREEK SHORELINE AND TOPOGRAPHIC CONTOUR LAYER OBTAINED FROM A GEODATABASE PROVIDED BY GZA/PALMERTON IN JUNE 2015.

5. PARCEL BOUNDARY DATA OBTAINED FROM ONONDAGA COUNTY IN 2015.

6. REMEDIAL CRITERIA FOR SOILS IS BASED ON 6 NYCRR PART 375, ENVIRONMENTAL REMEDIATION PROGRAMS, SUBPART 375-6, NYSDEC, DECEMBER 4, 2006 (PROTECTION OF ECOLOGICAL RESOURCES FOR SURFACE SOIL AND PROTECTION OF PUBLIC HEALTH, COMMERCIAL USE, FOR SUBSURFACE SOIL, AND IS 1 MG/KG PCBs IN THE TOP TWO FEET AND 10 MG/KG PCBs IN DEPTHS BELOW TWO FEET.

FT: FEET
MG/KG: MILLIGRAMS PER KILOGRAM
PCB: POLYCHLORINATED BIPHENYL
ROD: RECORD OF DECISION

LOWER LEY CREEK
SUBSITE OF THE ONONDAGA LAKE SUPERFUND SITE
PDI DATA EVALUATION REPORT

**SOIL SAMPLE COLLECTION LOCATIONS
AND PCB RESULTS**

Develop & Constructive
for natural and
built assets

**FIGURE
1i**